

Formatting Cells/Columns in Excel

This quick guide shows how to format cells and columns of cells in Microsoft Excel. Use these steps if you are manually creating a data file for upload into data pipeline or are recovering from the loss of leading zeros. As a reminder, opening .csv files in excel can cause them to lose leading zeros if you directly open them rather than using the data import steps.

Reading File layouts to determine formatting

The field length and examples on data file layouts help indicate the needed formatting for columns of data on your data file. CDE data file layouts include these elements to show the expected values for data fields.

When a file layout lists a set number of zeros as the example, this is usually an indication of formatting needed to ensure leading zeros are present. *This is usually considered <u>custom</u> formatting in excel.*

Name of Field	Field Length	Text Start Position	Text End Position	CSV order	Excel Column	Examples	Remarks
School District/BOCES Code*	4	1	4	1	A2	0000	
Student's State ID (SASID)*	10	5	14	2	B2	000000000	
Local ID (LASID)	10	15	24	3	C2	000000000	

In this example, the School District/BOCES field must be 4 characters long. This means all district codes must have leading zeros if they are shorter than 4-digit numbers. For example, district 130 must be entered as district 0130 for this data field.

Date fields should be formatted as a 2-digit month, 2-digit day, 4-digit year format. *This is usually considered* <u>date</u> formatting in excel but can also be accomplished through <u>custom</u> formatting.

	Field	Text Start	Text End	CSV	Excel		
Name of Field	Length	Position	Position	order	Column	Examples	Remarks
Student's Date of Birth*	8	91	98	7	G2	09142007	Format is MMDDYYYY
Entry Date* 0	8	99	106	8	H2	09092012	Format is MMDDYYYY

In excel, format these cells may be formatted as '00000000' if you lost the leading zero on the month but did not lose the leading zero on the day.

Some file layouts include numeric fields that require a decimal. These fields may not require a leading zero, but absolutely require the decimal and place values after the decimal. The student school association file is one example of a file layout that includes these types of data fields. *This is usually considered <u>number</u> formatting in excel*.

	[
	Field	Text Start	Text End	CSV	Excel		
Name of Field	Length	Position	Position	order	Column	Examples	Remark
Total Days Attended	5	166	172	40	AN2	252.5	Include Decimal
Total Days Excused	5	173	179	41	AO2	10.0	Include Decimal
Total Days Unexcused	5	180	186	42	AP2	3.0	Include Decimal
Total Possible Attendance Days	field length of	E alaaraa		43	AQ2	265.0	Include Decimal
	n field length of a decimal cou character				absolu	mal and tentl utely required eros are not	d, but leading



Alpha based fields (letters) may be codes or name fields. These fields may be formatted as text. Name fields are restricted to 30 character (letter) long names. Alpha code fields will reference specific codes. These may be case sensitive, so please refer to details on the file layout regarding specific alpha codes. *This is usually <u>text</u> formatting in excel, but can also be left as <u>general</u> formatting. Most of the time these fields do not need formatting updated in excel and can be left alone.*

Name of Field		Text Start Position			Excel Column	Examples	Remarks
Student's First Name *	30	19	48	4	D2	Valid name	
Student's Last Name *	30	49	78	5	E2	Valid name	
Guideline Name *	3	90	92	9	12	ACT	

Formatting a Column of Data

1. Right click on the name of the column in excel to highlight the entire column and bring up an options menu.



2. Select Format Cells from the options menu



3. Select the type of formatting needed from the category list.





4. Update the formatting based on the category you selected and select 'OK'.

ζ		
	ок (Cancel

Custom



Date (option 1)





Date (option 2)

Category: General Number Currency Accounting Date Immed/yyyy Percentage Fraction Scientific Text Special Custom Use the Custom category to set the date to MMDDYYYY format by typing MMDDYYYY in the box. Determine Type: Type: mmddyyyy mmemory (************************************	mber	Alignment	Font	Border	Fill	Protection		
Number Currency Accounting Date Time Percentage Fraction Scientific Text Special Custom Use the Custom category to set the date to MMDDYYYY format by typing MMDDYYYY in the box. Quetee	tegory:							
Accounting Date Type: mmddyyyy Percentage Praction Scientific Text Special Custom Use the Custom category to set the date to MMDDYYYY format by typing MMDDYYYY in the box. Delete	umber		∧ Sar	nple				
Time Percentage Fraction Scientific Text Special Custom Use the Custom category to set the date to MMDDYYYY format by typing MMDDYYYY in the box. Percentage (*****):((****):((****)):((****)):((****)):((****)):((****)):((****)):((****)):((****)):((***)):((***)):((***)):((***)):((***)):((***)):((***)):((**)			Type					
Percentage Fraction Scientific Text Special Custom Use the Custom category to set the date to MMDDYYYY format by typing MMDDYYYY in the box. Provide the format by typing MMDDYYYY in the box.			mm	ddyyyy	1			
Scientific Text Special Custom Use the Custom category to set the date to MMDDYYYY format by typing MMDDYYYY in the box.	ercentage							1
Special Custom Use the Custom category to set the date to MMDDYYYY format by typing MMDDYYYY in the box.								
Custom (***0):(***):(@) (***0):(***0):(***0):(@) (***0):(***0):(***0):(@) (***0):(***0):(@) ****??):(@) ***??):(@) ***??):(@) ***??):(@) ***??):(@) ***??):(@) ***??):(@) ***??):(@) ***??):(@) ***??):(@) ***??):(@) ***??):(@) ***??):(@) ***??):(@) ***??):(@) ***??):(@) ***??):(@) ***??):(@) *??):(@) *??):(?) *??):(?):(?) *??):(?			-					
Use the Custom category to set the date to MMDDYYYY format by typing MMDDYYYY in the box.					400 of a 11 11			
Use the Custom category to set the date to MMDDYYYY format by typing MMDDYYYY in the box.					#0): (5); (@)		
the date to MMDDYYYY format by typing MMDDYYYY in the box.			.(*)			6) (
typing MMDDYYYY in the box.			(**	(#,##(); (* "-"); ((@_) \$* "-"??_ <u>); (</u> @_)		ł
Delete				tegory to	<u>): (* *-*): ((</u> set	@_) \$* "-"??_ <u>); (</u> @_)		ł
	the d	ate to M	MDDY'	tegory to	set set by	@_) \$* "-"??_ <u>); (</u> @_)		
Type the number format code, using one of the existing codes as a starting point.	the d	ate to M	MDDY'	tegory to	set set by	@_) \$* "-"??_ <u>); (</u> @_)		
, , , , , , , , , , , , , , , , , , ,	the d	ate to M	MDDY'	tegory to	set set by	@_) \$* "-"??_ <u>); (</u> @_)	Delete	
	the d typi	ate to M ing MM[tegory to YYY form Y in the b	set at by ox.	@_) \$* "-?? <u>);</u> (@_) -??? <u>);</u> (@_)	Delete	
	the d typi	ate to M ing MM[tegory to YYY form Y in the b	set at by ox.	@_) \$* "-?? <u>);</u> (@_) -??? <u>);</u> (@_)	Delete	
	the d typi	ate to M ing MM[tegory to YYY form Y in the b	set at by ox.	@_) \$* "-?? <u>);</u> (@_) -??? <u>);</u> (@_)	Delete	
OK Cance	the d typi	ate to M ing MM[tegory to YYY form Y in the b	set at by ox.	@_) \$* "-?? <u>);</u> (@_) -??? <u>);</u> (@_)	Delete	

Number



Text

Select 'Text' Text as the category to ensure any new data you type in a cell will not be altered in any way. This will ensure leading zeros but will not add leading zeros to an existing data cell if they've been lost.

Text format cells are treated as text even when a number is in the cell. The cell is displayed exactly as entered.